



**IMS 25L Absorption Minibar
– Solid Door**



**IMS 30L Absorption Minibar
– Solid Door**



**IMS 40L Absorption Minibar
– Solid Door**



**IMS 60L Absorption Minibar
– Solid Door**



IMS 25L Absorption Minibar
– Solid Door



IMS 30L Absorption Minibar
– Solid Door



IMS 40L Absorption Minibar
– Solid Door



IMS 60L Absorption Minibar
– Solid Door

Elegant, Silent, and Energy Efficient

Key Features:	IMS 25L Absorption Minibar – Solid Door	IMS 30L Absorption Minibar – Solid Door	IMS 40L Absorption Minibar – Solid Door	IMS 60L Absorption Minibar – Solid Door
Capacity	25 Litres	30 Litres	40 Litres	60 Litres
Temperature Range	0°C – 8°C	0°C – 8°C	0°C – 8°C	0°C – 8°C
Rated Power	65W	65W	65W	80W
Voltage	AC 230V / 220V / 110V	AC 230V / 220V / 110V	AC 230V / 220V / 110V	AC 230V / 220V / 100V / 110V
Dimensions	L380 × W400 × H480 mm	L440 × W400 × H550 mm	L440 × W400 × H550 mm	L500 × W485 × H560 mm
Cooling System	Advanced absorption technology — No compressor, no vibration, and no noise	Absorption technology — No compressor, no vibration, no noise	Silent absorption — No compressor, no vibration, no noise	No compressor, no vibration, no noise, long service life, easy maintenance, lower energy consumption
Eco-Friendly	CFC-free, uses cyclopentane foaming for better insulation and efficiency	Uses cyclopentane foaming material for enhanced cooling and insulation, CFC-free	Uses cyclopentane foaming for superior insulation and is completely	Adopts cyclopentane foaming material for better cooling and CFC-free
Maintenance-Free	Low energy consumption and automatic defrosting	Hassle-free and maintenance-light	Hassle-free and maintenance-friendly	Automatic defrosting system, easy to maintain
Design	Solid classic door with sleek black finish	Classic solid door with a clean, modern finish	Classic solid door in sleek black finish	Classic solid foamed door for enhanced insulation and elegant look

Ideal for: Boutique hotels, premium suites, and villas that demand style, silence, and reliability.

IMS Industrial Multiclean Systems

912, Maradana Road, Colombo 08, Sri Lanka.

Tele: +9411 2698373 Hotline: + 94777 277273

Fax: +94 11 2699927 Email: info@imsunlimited.com

www.imsunlimited.com



**IMS 30L Absorption Minibar
– Glass Door**

H480mm

H480mm

L415mm

W400mm



**IMS 25L Absorption Minibar
– Glass Door**

L375mm

H400mm

H550mm



**IMS 40L Absorption Minibar
– Glass Door**

L435mm

W400mm



**IMS 60L Absorption Minibar
– Glass Door**

H560 mm

L495mm

W485mm



IMS 25L Absorption Minibar
– Glass Door



IMS 30L Absorption Minibar
– Glass Door



IMS 40L Absorption Minibar
– Glass Door



IMS 60L Absorption Minibar
– Glass Door

Elegant, Silent, and Energy Efficient

Key Features:	IMS 25L Absorption Minibar – Glass Door	IMS 30L Absorption Minibar – Glass Door	IMS 40L Absorption Minibar – Glass Door	IMS 60L Absorption Minibar – Glass Door
Capacity	25 Litres	30 Litres	40 Litres	60 Litres
Temperature Range	4°C – 12°C	4°C – 12°C	4°C – 12°C	4°C – 12°C
Rated Power	65W	65W	65W	80W
Voltage	AC 230V / 220V / 110V	AC 230V / 220V / 110V	AC 230V / 220V / 110V	AC 230V / 220V / 100V / 110V
Dimensions	L375 × W400 × H480 mm	L415 × W400 × H480 mm	L435 × W400 × H550 mm	L495 × W485 × H560 mm
Cooling System	Absorption technology - No noise, no vibration, and maintenance-free	Silent absorption system - No vibration, no noise, long service life	Absorption system -No noise, no vibration, long-lasting performance	No compressor, no vibration, no noise, long service life, easy maintenance, lower energy consumption
Eco-Friendly	CFC-free with cyclopentane foaming material for enhanced insulation	CFC-free, with superior insulation using cyclopentane foaming	CFC-free, featuring cyclopentane foaming material for enhanced cooling	Adopts cyclopentane foaming material for better cooling and CFC-free
Maintenance-Free	Always maintains optimal performance	Maintains consistent temperature with zero maintenance	Ensures stable performance and easy upkeep	Automatic defrosting system, easy to maintain
Design	Transparent glass door for a stylish, modern presentation	Elegant 3-layer glass door for premium presentation and visibility	Stylish 3-layer glass door for clear display and a premium look	High-grade 3-layer glass door, modern look, clear visibility

Ideal for: Luxury hotels, boutique stays, and executive suites that value style, silence, and energy efficiency.

IMS Industrial Multiclean Systems

912, Maradana Road, Colombo 08, Sri Lanka.

Tele: +9411 2698373 Hotline: + 94777 277273

Fax: +94 11 2699927 Email: info@imsunlimited.com

www.imsunlimited.com



50L Drawer Refrigerator XC-50





Drawer-Type Absorption Minibar (50L) Model XC-50

Key Features	IMS 60L Drawer Minibar – XC-50
Capacity	50L
Temperature Range	0–8°C
Rated Power	80W
Voltage	AC 230V / 220V / 100V / 110V
Dimensions	510 × W550 × H430 mm
Cooling System	No compressor — No vibration, no noise, long service life
Eco-Friendly	Uses cyclopentane foaming material for better cooling; CFC-free
Maintenance	Low energy consumption and automatic defrosting system
Design	Drawer-type minibar with a sleek modern finish

Features:

- Innovative drawer design – convenient access and modern aesthetic
- Silent, vibration-free operation
- CFC-free cyclopentane foaming material for better cooling
- Automatic defrosting and easy maintenance
- Energy-saving and environmentally responsible

IMS Industrial Multiclean Systems

912, Maradana Road, Colombo 08, Sri Lanka.
 Tele: +94112698373 Hotline: + 94777 277273
 Fax: +94 11 2699927 Email: info@imsunlimited.com
 www.imsunlimited.com



Our Esteemed Clientele

