



# IMS Safe Boxes



**ST-1004-B**



**ST-1004-A**



**ST-1007-B**



**VH100**



**VH200**



Vaultflux SAFE –  
Model ST-1004-A



Vaultflux SAFE –  
Model ST-1004-B



Vaultflux SAFE –  
ST-1007-B

Specifcation	Vaultflux SAFE – Model ST-1004-A	Vaultflux SAFE – Model ST-1004-B	Vaultflux SAFE – ST-1007-B
Open way	Side open	Side open	Side open
Cabinet thickness	1.5mm	1.5 mm	1.5mm
Door thickness	4.0mm	4.0 mm	4.0 mm
Color	Black	Black	Black
External Dimension	(H)200 × (W)420 × (D)370mm	H 200 × W 420 × D 370 mm	(H)200× (W)420× (D)370mm
Inner Dimension	(H)196 × (W)417 × (D)315mm	H 196 × W 417 × D 315 mm	(H)195 ×(W)415× (D)365mm
Panel Buttons	With blue light	With red light	with blue light
Record Query Function	Yes – can be printed through computer	Yes – can be printed through computer	can be printed by computer
Password Protection	Available	Available	protection function



## **Vaultflux SAFE VH100**

### **Specifications**

- Backlit Keypad
- Administrator's Handheld
- Emergency Key
- Tenant Password
- Administrator Function Code
- Audit-Trail Function
- Dimensions: L 19.48 × W 15.35 × H 7.8 inches



## **Vaultflux SAFE VH200**

### **Specifications**

- Backlit Keypad
- Administrator's Handheld
- Emergency Key
- Tenant Password
- Administrator Function Code
- Audit-Trail Function
- Dimensions: L 16.93 × W 15.35 × H 7.8 inches



912, Maradana Road, Colombo 08, Sri Lanka.  
Tele: +94112698373 Hotline: + 94777 277273  
Fax: +94 11 2699927 Email: [info@imsunlimited.com](mailto:info@imsunlimited.com)  
[www.imsunlimited.com](http://www.imsunlimited.com)



# Our Esteemed Clientele

